

# THE UNITED STAYLES OF AMERICA

Monsanto Cechnology LLG

MICCOS, THERE HAS BEEN PRESENTED TO THE

# Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH GASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT (S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY  ${
m LAW}$  , THE CHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR EXTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE LIRPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'I119163'

In Testimony Muserof, I have hereunto set my hand and caused the seal of the Hant Dariety Frotestion Office to be affixed at the City of Washington, D.C. this twenty-fifth day of November, in the year two thousand and eight.

Plant Variety Protection Office Agricultural Marketing Service

should I schaff

U.S. DEPARTMENT OF AGRICULTURE

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and

AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE		the Paperwork Reduction Act (PRA) of 1995.				
APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions and information collection burden statement on reverse)		Application is required in order to determin (7 U.S.C. 2421). Information is held confid	e if a plant variety protection certificate is to be issued lential until certificate is issued (7 U.S.C. 2426).			
1. NAME OF OWNER		TEMPORARY DESIGNATION OR EXPERIMENTAL NAME	3. VARIETY NAME			
Monsanto Technology <del>L.L.G.</del> LLC		None	I119163			
4. ADDRESS (Street and No., or R.F.D. No., City, State, and	ZIP Code, and Country)	5. TELEPHONE (include area code)	FOR OFFICIAL USE ONLY			
800 N. Lindbergh Blvd.		(815) 758-9281	PVPO NUMBER			
Creve Coeur, MO 63167	,	8. FAX (include area code)	- 9 0 0 0 0 0 4 7 0			
U.S.A.	i	(815) 758-3117	200600140			
		Literary country is a vote more to separate a	FILING DATE			
<ol> <li>IF THE OWNER NAMED IS NOT A "PERSON", GIVE FOR ORGANIZATION (corporation, partnership, association, etc.</li> </ol>		9. DATE OF INCORPORATION -	March 2, 2006			
Corporation	Delaware	August 27, 1999	fiai coi a, acor			
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(	S) TO SERVE IN THIS APPLICATION. (F	irst përson listed will receive all papers)	F FILING AND EXAMINATION FEES:			
TANK A	•		E \$ 4382.00			
Timothy R. Kain	Mich	ael J. Roth	11 3/2/06			
8350 Minnegan Road	A		E CERTIFICATION FEE			
Waterman, IL 60556		N. Lindbergh Blvd.	E \$ 768.00			
U.S.A.		e Coeur, MO 63167	V			
0.0	U.S.A	<b>A.</b> 	E DATE /0/27/08			
11. TELEPHONE (Include area code)	12. FAX (include area code)	13. E-MAIL	14. CROP KIND (Common Name)			
(815) 758-9281	(815) 758-3117	trkain@monsanto.com	Corn, Field			
15. GENUS AND SPECIES NAME OF CROP		16. FAMILY NAME (Botanical)	17. IS THE VARIETY A FIRST GENERATION HYBRID?			
Zea mays		Graminae	☐ YES X NO			
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT S (Follow instructions on reverse)	SUBMITTED	19. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? See Section 83(a) of the Plant Variety Protection Act)				
a. X Exhibit A. Origin and Breeding History of the Variety		YES (If "yes", answer items 20 an	d 21 below) Xi NO (If "no", go to item 22)			
b. X Exhibit B. Statement of Distinctness		20. DOES THE OWNER SPECIFY THAT SEE				
c. X Exhibit C. Objective Description of Variety d. □ Exhibit D. Additional Description of the Variety (Optional)		VARIETY BE LIMITED AS TO NUMBER OF CLASSES?  IF YES, WHICH CLASSES?    FOUNDATION    REGISTERED    CERTIFIED				
						e. X Exhibit E. Statement of the Basis of the Owner's O
f. X Voucher Sample (2,500 viable untreated seeds or, verification that tissue culture will be deposited and						
repository)						
g. X Filing and Examination Fee (\$3,652), made payable States" (Mail to the Plant Variety Protection Office)	e to "Treasurer of the United	FOUNDATION REGISTERED CERTIFIED  (If additional explanation is necessary, please use the space indicated on the reverse.)				
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATE FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRAN		23. IS THE VARIETY OR ANY COMPONENT OF PROPERTY RIGHT (PLANT BREEDER'S A	F THE VARIETY PROTECTED BY INTELLECTUAL			
OR OTHER COUNTRIES?	7	X <sub>YES</sub>	•			
X YES	NO	IF YES, PLEASE GIVE COUNTRY, DATE O	NO F. FILING OR ISSUANCE AND ASSIGNED			
IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE USE		REFERENCE NUMBER. (Please use space	Indicated on reverse.)			
FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Pie	ase use space indicated on reverse.)	,				
24. The owners declare that a viable sample of basic seed of t for a tuber propagated variety a tissue culture will be depo-	he variety has been furnished with applications and maintaine apublic repository and maintaine	ation and will be replenished upon request in accord d for the duration of the certificate.	dance with such regulations as may be applicable, or			
The undersigned owner(s) is(are) the owner of this sexuall and is entitled to protection under the provisions of Section	y reproduced or tuber propagated plant va 142 of the Plant Variety Protection Act.	ariety, and believe(s) that the variety is new, distinct	, uniform, and stable as required in Section 42,			
Owner(s) is(are) informed that false representation herein	can jeopardize protection and result in per	nalties.				
SIGNATURE OF OWNER AND IN	/	SIGNATURE OF OWNER				
Junoty K. K.						
AMF (Please print or type)		NAME (Blacca print or type)				

Timothy R. Kain CAPACITY OR TITLE CAPACITY OR TITLE DATE Patent Scientist

#### INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the figure and states are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

#### Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

#### ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;

(3) evidence of uniformity and stability; and

- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;

(2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and

- (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Parent of a hybrid sold in the U.S. - April 2005 i

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

U.S. Patent Application No. 11/093,727 - filed March 30, 2005 (I119163)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filling a change of address. The fee for filling a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

# EXHIBIT A (revised)

## Origin and Breeding History 1119163

I119163 was selected for its greater plant health, improved grain quality, greater tassel size and greater combining ability.

Winter 1998-99 The inbred line 01INL1 (a proprietary DEKALB Genetics Corporation

inbred) was crossed to the inbred line 94INK1A (a proprietary DEKALB

Genetics Corporation inbred) in nursery rows 98KElite:E16 and

98KElite:E238.

Spring 1999 The F1 seed was grown and crosses with a haploid inducer line\* in

Kauai, Hawaii

Summer 1999 Haploid kernels were doubled in Maui, Hawaii. 46 Ears were selected.

Winter 1999-2000 H0 ears were grown ear-to-row and self-pollinated. 3 ears were selected

in nursery row 9K9WD-333.

Summer 2000 H1 ears were grown ear-to-row and self-pollinated. In nursery row

00ADH:1969, 5 ears were bulked and designated as coded inbred

1119163.

# Statement of Stability and Uniformity

Corn inbred I119163 was coded in 2000 with final selection made in 2000. This inbred has been reproduced by self pollination two generations and judged to be stable. Inbred I119163 is uniform for all traits observed.

## Statement of Variants

I119163 shows no variants other than what would normally be expected due to environment or that would occur for almost any character during the course of repeated sexual reproduction.

<sup>\* -</sup> haploid inducer line is a Krasnodar Haploid Inducer (KHI) –referenced in U.S. patent application No. 20050289673

# EXHIBIT B (revised)

# LLC

# Statement of Distinctness

Monsanto Technology <del>L.L.C.</del> believes that I119163 is most similar to corn inbred 94INK1A, an inbred developed by DEKALB Genetics Corporation.

I119163 and 94INK1A differ most significantly in the following traits:

Trait	I119163	94INK1A
Glume Color	Purple (5 RP 5/8)	Green (5 GY 4/8)
Silk Color	Purple (5 RP 5/8)	Pink (5 R 7/6)
Ear Position	Upright	Pendant
Husk Opening*	Very Tight (9)	Very Loose (1)

<sup>\* -</sup> based on a scale of 1-9; 1 = very loose, 9 = very tight

## 2002

Variety	Tassel Branch Number			
I119163	11.1			
	(Std Dev = 2.9, N= 10)			
94INK1A	5.6			
	(Std Dev = 1.0, N= 10)			
P_Val	0.000			
Signif.	**			
	0.000			

## 2003

Variety	Tassel Branch Number			
1119163	14.6			
	(Std Dev = 1.8, N= 10)			
94INK1A	7.2			
	(Std Dev = 1.9, N= 10)			
P_Val	0.000			
Signif.	**			

Significance levels are indicated as: + = 10%, \* = 5 %, \*\* = 1%

Corn variety I119163 has purple glume color, purple silk color, an upright ear position, very tight husk and greater number of tassel branches while comparative corn variety 94INK1A has green glume color, pink silk color, a pendant ear position, very loose ear husk and fewer number of tassel branches.

# EXHIBIT B (revised)

# Description of Experimental Design

The corn varieties I119163, 94INK1A and MO17 were grown at the Waterman, IL observation nursery in years 2002-2003. The varieties were planted in 2 row plots with 15 plants per row in each of the three years. Trait data were collected on 10 random representative plants for most traits from each 2 row plot. Data on qualitative traits are usually collected on 10 plants from each 2 row plot. For Exhibit C all data were pooled and reported as means across the years for subject variety and the standard variety with standard deviation. The varieties are randomly planted in a 4.5 acre observation nursery which is located within a larger 18 acre field. Besides the observation nursery, this field consists of a research seed increase nursery and an IP seed inventory nursery. The location of each of these individual nurseries is rotated each year to a different location within the 18 acre field. Therefore subject inbreds are not planted adjacent to comparative or standard varieties and may be located in different areas of the larger field each year, therefore being influenced by spacial differences within the field. Growing conditions within the field are not uniform as there are some slight topographical variations such as lower areas which may accumulate and retain water or higher areas which are usually drier. The field is tiled and therefore a variety maybe planted close to a tile line while a comparative variety maybe planted further away and in a low spot within the field. Temporal varieties can exist as weather conditions from year to year can vary as well as planting dates can vary from year to year based on weather conditions. Weather conditions each year can vary the maturity rate of the varieties due to either favorable or unfavorable growing conditions.

Trait variability is not observed for each variety within its own test plot-plants are usually uniform and data are collected on the "most" representative plants- variability occurs due to spacial location of the test plot for that variety from year to year and to the temporal variation of weather conditions from year to year during the 2-3 years data are collected.

# Waterman Research Station Weather Data 2002-2003

Date	Average Precip. (mm)	Ave. Monthly Temp – Max. (F°)	Ave. Monthly Temp-Min (F°)	Ave. Monthly Rel. Humid Max (%)	Ave. Monthly Rel. Humid – Min (%)
June 2002	5.3	81.3	60.4	90.7	47.7
July 2002	1.5	87.0	64.9	93.2	48.3
August 2002	5.7	83.1	61.0	96.0	51.8
Sept. 2002	1.5	79.4	52.6	95.0	42.7
June 2003	2.0	75.7	55.7	-	_
July 2003	6.4	82.2	62.2	-	<b></b>
August 2003	2.6	83.5	63.5	-	-
Sept 2003	2.6	72.9	52.9	-	_

5

# 2MS 9/24/08

## United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Moneanto Technology Lu-Ge	tame of Applicant(s) Variety Seed Source		Vai	iety Name or Temporary	Designation		
200   Minegan Road, Waterman, It. 80556   200   00   00   00   00   00   00	Monsanto Technology L.L.C.				I119163		
Place the appropriate number that describes the varietal characters typical of this inbred variety in the spaces below. Right justify whole numbers by adding leading zeroes if necessary. Completeness should be striven for to establish an adequate variety description.  COLOR CHOICES (Use in conjunction with Municed color code to describe all color choices; describe #25 and #26 in Comments section):  11=Pink	Address (Street & No., or R.F.D. No., City, State, Zip Code and Country)			FO	R OFFICIAL USE	PVPO Number	
COLOR CHOICES (Use in continuous with Musualed body color to describe all color choices; describe #25 and #28 in Comments section):   1	8350 Minnegan Road, Waterman, IL 60556				20060014	10	
OT=Light treen	Place the appropriate number that describes the varietal characters ty necessary. Completeness should be striven for to establish an adequate	rpical of this inbred variety late variety late variety description.	in the spaces below. R	ight justify who	le numbers by adding le	ading zeroes if	
Yellow Dent ( Inchested):	01=Light Green 06=Pale Yellow 02=Medium Green 07=Yellow 03=Dark Green 08=Yellow-Orange 04=Very Dark Green 09=Salmon	11=Pink 12=Light Red 13=Cherry Red 14=Red	16≃Pale 17≂Pur <sub>l</sub> 18≃Cold 19=Whi	e Purple ple priess te	21=Buff 22=Tan 23=Brown 24=Bronze 25=Variegated		
2 1=Sweet 2=Dent 3=Fint 4=Flour 5=Pop 6=Ornamental 7=Pipecorn  2 1=Northwest 2=North central 3=Northeast 4=Southeast 5=South central 6=Southwest 7=Other  2 1=Northwest 2=North central 3=Northeast 4=Southeast 5=South central 6=Southwest 7=Other  3. MATURITY (In Region Best Adaptability; show Heat Unit formula in "Comments" section):	STANDARD INBRED CHOICES (Use the most similar (in background and maturity) of these to make comparisons based on grow-out trial data):           Yellow Dent Families:         Yellow Dent (Unrelated):         Sweet Corn:           Family B14         Members         Co109, ND246,         C13, lowa5125, P39, 2132           B37         B37, B76, H84         W117, W153R         Popcorn:           B73         N192, A679, B73, NC268         W182BN         SG1533, 4722, HP301, HP7211           C103         Mo17, Va102, Va35, A682         White Dent:         Pipecom:					01, HP7211	
2. REGION WHERE DEVELOPED IN THE U.S.A.: 2 1=Northwest 2=North central 3=Northeast 4=Southeast 5=South central 6=Southwest 7=Other  3. MATURITY (In Region Best Adaptability, show Heat Unit formula in "Comments" section): DAYS HEAT UNITS 7 9 1 4 7 3.0 From emergence to 50% of plants in silk 0 7 9 1 6 8 0.0  7 8 1 4 4 9.0 From emergence to 50% of plants in pollen 0 7 5 1 5 8 2.0 From 10% to 90% pollen shedFrom 50% silk to optimum edible qualityFrom 50% silk to harvest at 25% moisture  4. PLANT: Standard Deviation Sample Size Mean Standard Deviation Sample Size 1 9 6.5 cm Plant Height (to tassel tip) 14.0 30 1 9 2.7 18.6 30 0 8 0.9 cm Ear Height (to base of top ear node) 4.7 30 0 7 6.8 14.0 30 1 5.8 cm Length of Top Ear Internode 2.4 30 0 1 4.4 1.8 30Average Number of Tillers 1.0 Average Number of Ears per Stalk 0.0 30 0 0 1.0 0.0 30 4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark	TYPE: (describe intermediate types in Comments section)     Sta						
2 1=Northwest 2=North central 3=Northeast 4=Southeast 5=South central 6=Southwest 7=Other  3. MATURITY (In Region Best Adaptability; show Heat Unit formula in "Comments" section): DAYS HEAT UNITS 7 9 1 4 7 3 .0 From emergence to 50% of plants in silk  7 8 1 4 4 9 .0 From emergence to 50% of plants in pollen  ——————————————————————————————————	2 1=Sweet 2=Dent 3=Flint 4=Flour 5=Pop 6=Ornamental 7=Pipecorn			2 Type			
3. MATURITY (In Region Best Adaptability; show Heat Unit formula in "Comments" section):  DAYS HEAT UNITS 7 9	2. REGION WHERE DEVELOPED IN THE U.S.A.:			Standard Seed Source			
DAYS   HEAT UNITS   1473.0   From emergence to 50% of plants in silk   0 7 9   1 6 8 0.0    78	2 1=Northwest 2=North central 3=Northeast 4=Southeas	t 5=South central 6=So	outhwest 7=Other	2 Region	1		
From 10% to 90% pollen shedFrom 50% silk to optimum edible qualityFrom 50% silk to harvest at 25% moisture  4. PLANT: Standard Deviation Sample Size Mean Standard Deviation Sample Size  1 9 6. 5 cm Plant Height (to tassel tip) 14.0 30 1 9 2.7 18.6 30  0 8 0. 9 cm Ear Height (to base of top ear node) 4.7 30 0 7 6.8 14.0 30  1 5. 8 cm Length of Top Ear Internode 2.4 30 0 1 4.4 1.8 30 Average Number of Tillers  1.0 Average Number of Ears per Stalk 0.0 30 0 0 1.0 0.0 30  4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark  4 Versult 1.0 Average Number of Ears per Stalk 0.0 30 0 0 1.0 0.0 30	DAYS HEAT UNITS	•		1			
From 50% silk to optimum edible qualityFrom 50% silk to harvest at 25% moisture  4. PLANT: Standard Deviation Sample Size Mean Standard Deviation Sample Size  1 9 6. 5 cm Plant Height (to tassel tip) 14.0 30 1 9 2.7 18.6 30  0 8 0. 9 cm Ear Height (to base of top ear node) 4.7 30 0 7 6.8 14.0 30  1 5. 8 cm Length of Top Ear Internode 2.4 30 0 1 4.4 1.8 30 Average Number of Tillers  1.0 Average Number of Ears per Stalk 0.0 30 0 0 1.0 0.0 30  4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 4	78 1 4 4 9. 0 From emergence to 50% of plants	in pollen		075	1 5 8 2.0		
A. PLANT:   Standard Deviation   Sample Size   Mean   Standard Deviation   Sample Size	From 10% to 90% pollen shed						
4. PLANT:         Standard Deviation         Sample Size         Mean         Standard Deviation         Sample Size           1 9 6. 5 cm Plant Height (to tassel tip)         14.0         30         1 9 2. 7         18.6         30           0 8 0. 9 cm Ear Height (to base of top ear node)         4.7         30         0 7 6.8         14.0         30           1 5. 8 cm Length of Top Ear Internode         2.4         30         0 1 4.4         1.8         30           Average Number of Tillers	From 50% sifk to optimum edible	quality					
1 9 6. 5 cm Plant Height (to tassel tip)  1 4.0  30  1 9 2. 7  18.6  30  0 8 0. 9 cm Ear Height (to base of top ear node)  4.7  30  0 7 6. 8  14.0  30  1 9 2. 7  18.6  30  1 5. 8 cm Length of Top Ear Internode  2.4  30  0 1 4. 4  1.8  30  Average Number of Tillers  1.0 Average Number of Ears per Stalk  0.0  30  0 0 1.0  0 0 0.0  30  4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark	From 50% silk to harvest at 25%	moisture					
0 8 0. 9 cm Ear Height (to base of top ear node) 4.7 30 0 7 6. 8 14.0 30  1 5. 8 cm Length of Top Ear Internode 2.4 30 0 1 4. 4 1.8 30	4. PLANT:	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size	
1 5. 8 cm Length of Top Ear Internode 2.4 30 0 1 4. 4 1.8 30  Average Number of Tillers 1.0 Average Number of Ears per Stalk 0.0 30 0 1.0 0.0 30  4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 4	1 9 6. 5 cm Plant Height (to tassel tip)	14.0	30	1 9 2.7	18.6	30	
	0 8 0. 9 cm Ear Height (to base of top ear node)	4.7	30	0 7 6.8	14.0	30	
1.0 Average Number of Ears per Stalk 0.0 30 0 1.0 0.0 30  4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 4	1 5. 8 cm Length of Top Ear Internode	2.4	30	0 1 4.4	1.8	30	
4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=Moderate 4=Dark 4	Average Number of Tillers	···					
	1.0 Average Number of Ears per Stalk	0.0	30	0 0 1.0	0,0	30	
Application Visitor Date	4 Anthocyanin of Brace Roots: 1=Absent 2=Faint 3=M	oderate 4=Dark		4			
Application Variety Data Page 1 Standard Inbred Data	Application Variety Data	Page 1	····	Standard Ini	ored Data		

Application Varie	ety Data	Page 2		Standard Inbre	ed Data	***	
5. LEAF:		Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size	
0 6.9	cm Width of Ear Node Leaf	0.6	30	0 0 9.0	0.7	30	
7 2. 0	cm Length of Ear Node Leaf	2.6	30	0 6 2.4	6.4	30	
4.6	Number of leaves above top ear	0.5	30	5. 6	0.4	15	
2 1. 5	degrees Leaf Angle (measure from 2nd leaf above ear at anthesis	4.8 s to stalk above leaf)	30	3 5.8	7.8	30	
03	Leaf Color (Munsell code 5 GY 3/4)			0 2 (Munsell	code 5 GY 5/10)		
1	Leaf Sheath Pubescence (Rate on scale fron	n 1=none to 9=like peach fuzz)		2			
4	Marginal Waves (Rate on scale from 1=none	to 9=many)		5			
6	Longitudinal Creases (Rate on scale from 1=	none to 9=many)		8			
6. TASSEL:		Standard Deviation	Sample Size	Меап	Standard Deviation	Sample Size	
1 3. 5	Number of Primary Lateral Branches	2.2	30	7. 1	1.1	30	
2 9. 5	Branch Angle from Central Spike	11.1	30	3 4.6	5.2	30	
3 8. 7	cm Tassel Length (from top leaf collar to tassel tip)	2.2	30	4 7.4	4.9	30	
5.1	Pollen Shed (Rate on scale from 0=male sterile	e to 9=heavy shed)		4.3			
0 7 Anther Color (Munsell code 2.5 Y 8/10)			0 5 (Munsell code 2.5 GY 8/6)				
1 7 Glume Color (Munsell code 5 RP 5/8)			0 2 (Munsell code 5 GY 4/8)				
1	Bar Glumes (Glume Bands): 1=Absent 2=Pres	ent		1			
a. EAR (Unhusk	ked Data):					·····	
17 Silk	Color (3 days after emergence) (Munsell code	5 RP 5/8)		0 5 (Munsell	code 2.5 GY 8/6)		
0 2 Fresh Husk Color (25 days after 50% silking) (Munsell code 5 GY 4/8)			0 2 (Munsell o	code 5 GY 4/8)			
2 1 Dry Husk Color (65 days after 50% Silking) (Munsell code 2.5 Y 8/4)			2 1 (Munsell o	code 2.5 Y 8/4)			
1 Posi	tion of Ear at Dry Husk Stage: 1=Upright 2=Hot	rizontal 3=Pendent		1			
9 Husk	x Tightness (Rate on scale from 1=very loose to	9=very tight)		8	8		
2 Husk tip) 4=Very	Extension (at harvest): 1=Short (ears exposed Long (>10 cm)	d) 2=Medium (<8 cm) 3=Long (8	-10 cm beyond ear	3			
b. EAR (Husked	Ear Data):	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size	
1 4. 4	cm Ear Length	0.8	30	1 8.5	0.7	30	
4 1. 7	mm Ear Diameter at mid-point	1.8	30	3 8.0	1.6	30	
103.2	gm Ear Weight	10.4	30	1 0 4.8	18.0	30	
17.4	Number of Kernel Rows	1.1	30	1 2.0	0.7	15	
2 Kernel Rows: 1=Indistinct 2=Distinct			2				
1	Row Alignment: 1=Straight 2=Slightly Curved 3	3=Spiral		1			
0 6.6	cm Shank Length	0.8	30	0 9.8	1.9	15	
2	Ear Taper: 1=Slight 2=Average 3=Extreme			2		•	

Application Variety Data	Page 3		Standard Inbre	d Data	
8. KERNEL (Dried):	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
1 1 .6 mm Kernel Length	0.3	30	1 1.4	0.4	15
7 .5 mm Kernel Width	0.4	30	0 9.0	0.5	15
4 .6 mm Kernel Thickness	0.3	30	0 4.9	0.3	15
4 9 .6 % Round Kernels (Shape Grade)	4.2	500g	3 1. 7	3.6	500g
1 Aleurone Color Pattern: 1=Homozygous 2=Segreg.	ating (describe)		1		
1 9 Aleurone Color (Munsell code Lighter than 5 Y 9/1)	ı		1 9 (Munsell o	code Lighter Than 2.5 Y 9/2	2)
0 7 Hard Endosperm Color (Munsell code 2.5 Y 8/10)			0 7 (Munsell o	code 2.5 Y 8/10)	
3 Endosperm Type: 1=Sweet (su1) 2=Extra Sweet (su2) 5=Waxy Starch 6=High Protein 7=High Lysine 10=Other	sh2) 3=Normal Starch 8=Super Sweet (se)	4=High Amylose Starch 9=High Oil	0 3		
3 0. 1 gm Weight per 100 Kernels (unsized sample)	3.4	1200 seeds	29.7	8.7	1200 seeds
9. COB:	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
2 3 .2 mm Cob Diameter at mid-point	0.7	30	2 2.1	0.8	15
1 4 Cob Color (Munsell code 5 R 3/8)			1 4 (Munsell	code 5 R 3/8)	
10. DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (mc Race or Strain Options blank if polygenic):	ost resistant); leave blank	if not tested; leave			
A. Leaf Blights, Wilts, and Local Infection Diseases					v *
7 Anthracnose Leaf Blight (Colletotrichum graminicola) 5 Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) 6 Eyespot (Kabatiella zeae) 6 Goss's Wilt (Clavibacter michiganense spp. nebraskense) 5 Gray Leaf Spot (Cercospora zeae-maydis) 7 Helminthosporium Leaf Spot (Bipolaris zeicola)	Race 2 Race 2 Race O		5 Northern L 3 Southern L Southern F 3 Stewart's V	Rust Smut  It Spot Sporium Leaf Spoteaf Blight Rust	Race 2 Race O
B. Systemic Diseases  Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana) Maize Chlorotic Dwarf Virus (MCDV) Maize Chlorotic Mottle Virus (MCMV) Maize Dwarf Mosaic Virus (MDMV) Sorghum Downy Mildew of Corn (Peronosclerospora sorghi) Other (Specify)  C. Stalk Rots	Strain		Maize Chlo	t protic Dwarf Virus pritic Mottle Virus arf Mosaic Virus Downy Mildew of Corn	Strain
Anthracnose Stalk Rot (Colletotrichum graminicola)  Diplodia Stalk Rot (Stenocarpella maydis)  Fusarium Stalk Rot (Fusarium moniliforme)  Gibberella Stalk Rot (Gibberella zeae)  Other (Specify)  D. Ear and Kernel Rots  Aspergillus Ear and Kernel Rot (Aspergillus flavus)  Diplodia Ear Rot (Stenocarpella maydis)  Fusarium Ear and Kernel Rot (Fusarium moniliforme)  Gibberella Ear Rot (Gibberella zeae)  Other (Specify)			Diplodia SI Fusarium S Gibberella Other (Spe	Stalk Rot Stalk Rot scify) Ear & Kernel Rot ar Rot Ear & Kernel Rot Ear & Kernel Rot	
Application Variety Data			Standard Inbre	d Data	
Note: Use chart on first page to choose color codes for color traits.	<del></del>	<del></del>		<del></del>	

Application Variety Data Page 4	Standard Inbred Data			
11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested): Standard Deviation Sample Size	Standard Deviation Sample Size			
Banks Grass Mite (Oligonychus pratensis)	Banks Grass Mite			
Corn Earworm (Helicoverpa zea)  Leaf-Feeding Silk Feeding: mg larval wt.	Corn Earworm Leaf Feeding			
Ear Damage Corn Leaf Aphid (Rhopalosiphum maidis) Corn Sap Beetle (Carpophilus dimidiatus)	Ear Damage Corn Leaf Aphid Corn Sap Beette			
European Corn Borer (Ostrinia nubilalis)  1st Generation (Typically Whort Leaf Feeding) 2nd Generation (Typically Leaf Sheath-Collar Feeding) Stalk Tunneling: cm tunneled/plant	European Corn Borer 1st Generation 2nd Generation			
Fall Armyworm (Spodoptera frugiperda)  Leaf-Feeding Silk-Feeding: mg larval wt	Fall Armyworm Leaf Feeding			
Maize Weevil (Sitophilus zeamaize) Northern Rootworm (Diabrotica barberi) Southern Rootworm (Diabrotica undecimpunctata)	Maize Weevil Northern Rootworm Southern Rootworm			
Southwestern Corn Borer ( <i>Diatraea grandiosella</i> ) Leaf Feeding Stalk Tunneling : cm tunneled/plant	Southwestern Corn Borer Leaf Feeding			
Two-spotted Spider Mite (Tetranychus urticae) Western Rootworm (Diabrotica virgifera virgifera) Other (Specify)	Two-spotted Spider Mite Western Rootworm Other (Specify)			
12. AGRONOMIC TRAITS:	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4			
7 Stay Green (at 65 days after anthesis) (Rate on a scale from 1=worst to 9=excellent.)	2 Stay Green			
0 1. 0 % Dropped Ears (at 65 days after anthesis)	0 0 .0 % Dropped ears			
0 0 .0 % Pre-anthesis Brittle Snapping	0 0 .0 % Pre-anthesis Brittle Snapping			
0 0. 0 % Pre-anthesis Root Lodging	0 0 .0 % Pre-anthesis Root Lodging			
0 0. 0 % Post-anthesis Root Lodging (at 65 days after anthesis)	0 0 0 % Post-anthesis Roof Lodging			
Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)	Yield			
13. MOLECULAR MARKERS: (0=data unavaitable; 1=data available but not supplied; 2=data supplied)				
1 Isozymes 0 RFLP's 0 RAPD'sOther (Specify)				
REFERENCES:	A A A A A A A A A A A A A A A A A A A			
Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio State University. Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180 Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant and Plant Products in the United States. The Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westport, C.T. Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons, New York. McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp. Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230 The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI. Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp. Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. A Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S., Bul. 831. 1959. U.S. Department of Agriculture. 1936, 1937. Yearbook.	American Phytopathological Society, St. Paul, MN.			
COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D):				
Heat Unit Calculation: GDU = <u>Daily Max Temp (&lt;=86°F) + Daily Min Temp (&gt;=50°F)</u>	- 50°F			
Supplemental data obtained from 2005 seed inventory and production parent test				

- 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid CMB control number. The valid CMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

REPRODUCE LOCALLY, include form number and date on all reproductions

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

> U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

**EXHIBIT F** 

NAME OF OWNER (S)		
NAME OF OWNER (5)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION
Monsanto Technology LLC	8350 Minnegan Road	
	Waterman, IL 60556 U.S.A.	VARIETY NAME II 19163
NAME OF OWNER REPRESENTATIVE (S) Timothy R. Kain	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY
Timony K. Kun	8350 Minnegan Road Waterman, IL 60556	PVPO NUMBER
	U.S.A.	200600140

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

3/5/2008